

## AMENDMENTS TO THE CLAIMS

Please replace the claims, including all prior versions, with the listing of claims below.

### Listing of Claims:

~~Claims~~ What is claimed is:

1. (Currently Amended) A method for enabling the monitoring of data associated with a telecommunication user ~~(1)~~, ~~said data being comprising:~~  
~~\_\_\_\_\_ transmitted over~~ transmitting the data over a telecommunication network ~~(4)~~, by transmission of copies of the data to at least one listening station ~~(LEA 6; 7; 8; 9)~~,  
~~wherein sending a copy of the data is sent by a switching device (VSGSN; HSGSN etc.) to a monitoring handling device (CIH 14) and is in turn is sent by the latter (CIH 14) handling device to one (7) of a number of addresses of the at least one listening stations (LEA 6; 7; 8; 9) known to it (CIH 14) in each case;~~ and  
~~e h a r a c t e r i z e d i n t h a t~~  
~~the monitoring handling device (CIH 14) accesse~~ accessing a memory, using the monitoring handling device, containing including a list of keys for the at least one listening stations ~~(LEA 6/7/8/9)~~ and ~~transmits~~ transmitting data in encrypted form to a one of the at least one listening stations ~~(LEA 6/7/8/9)~~ using the key for ~~said the at least one~~ the at least one listening stations ~~(LEA 6/7/8/9)~~.
  
2. (Currently Amended) The method according to ~~one of the preceding claims [sic]~~,  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein  
~~only the monitoring handling device (CIH 14) knows the addresses (LEA IP address of 6; 7; 8; 9) of the at least one listening stations (LEA 6; 7; 8; 9), and in particular has stored~~  
~~said~~ the addresses in a table.

3. (Currently Amended) The method according to ~~one of the preceding claims,~~  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein  
the telecommunication network is a public land mobile network.
4. (Currently Amended) The method according to ~~one of the preceding claims,~~  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein  
the telecommunication network is a packet-switched network, ~~in particular an IP protocol~~  
network.
5. (Currently Amended) The method according to ~~one of the preceding claims,~~  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein  
the switching devices (~~VSGSN 3; HSGSN...~~) send the copies of the data to be intercepted to  
an interface switching device (~~border gateway 11; 12~~) which knows the address of the  
monitoring handling device (~~CIH 14~~), and ~~in particular has stored said~~ stores the address in a  
memory.
6. (Currently Amended) The method according to ~~one of the preceding claims,~~  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein  
the at least one listening stations (~~LEA 6; 7; 8; 9~~) have different addresses (~~LEA IP address~~)  
which are known to the monitoring handling device (~~CIH~~).
7. (Currently Amended) The method according to ~~one of the preceding claims,~~  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein  
the monitoring handling device (~~14~~) is located in the same network as the listening stations  
(~~7 to 9~~).
8. (Currently Amended) The method according to ~~one of the preceding claims,~~  
~~e h a r a c t e r i z e d i n t h a t~~ claim 1, wherein

a security tunnel, ~~in particular an IPsec tunnel,~~ is set up between the monitoring handling device (14) and the interface switching devices (~~border gateway 11, 12~~) or will be set up ~~to for the purpose of~~ monitoring a call.

9. (Currently Amended) A device (~~CIH 14~~), ~~in particular for performing the method~~ according to one of the preceding claims,

~~having, comprising:~~

                     an interface to at least one switching device (~~border gateway 11, 12~~) for receiving data to be intercepted;

~~-having~~ a memory ~~containing~~ including a list of addresses and keys of a plurality of listening stations (~~6; 7; 8; 9~~);

~~-having~~ an interface for transmitting data to be intercepted from a terminal device (1), ~~said~~ the data having been received by a switching device (11) via the first interface, to an IP address of a one of the listening stations (~~6; 7; 8; 9~~), ~~said~~ the address having been identified based on the basis of the an identity of the user (~~MSISDN, ISDN, MEI etc.~~) and the list stored in a memory in the device (14).